Refine Search

Search Results -

Term	Documents
TAKEN	2307757
TAKENS	64
CONCURRENT$4	0
CONCURRENT	93441
CONCURRENTCY	1
CONCURRENTELY	1
CONCURRENTEST	1
CONCURRENTFLOW	1
CONCURRENTIE	1
CONCURRENTIT	1
CONCURRENTIY	4
(((CONCURRENT$4 OR SIMULTANEOUS$3 OR PARALLEL$7) NEAR8 EXECUT$3 AND (FETCH$5 OR PREFETCH$5) AND BRANCH$5 NEAR10 DECOD$4 AND TAKEN AND (INHIBIT$4 OR HALT$4 OR CANCEL$5 OR SUSPEND$3 OR SUSPENSION$1) NEAR8 (INSTRUCTION$1 OR MICROINSTRUCTION$1 OR MACROINSTRUCTION$1) AND IDENTIF$7).CLM.).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	1

There are more results than shown above. Click here to view the entire set.

Database: US Pre-Grant Publication Full-Text Database; US Patents Full-Text Database; US OCR Full-Text Database; EPO Abstracts Database; JPO Abstracts Database; Derwent World Patents Index; IBM Technical Disclosure Bulletins

Search: L36

Refine Search

Recall Text Clear Interrupt

Search History

DATE: Thursday, August 17, 2006 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
	DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		
L36	((concurrent$4 or simultaneous$3 or parallel$7) near8 execut$3 and (fetch$5 or prefetch$5) and branch$5 near10 decod$4 and taken and (inhibit$4 or halt$4 or cancel$5 or suspend$3 or suspension$1) near8 (instruction$1 or microinstruction$1 or macroinstruction$1) and identif$7).clm.	1	L36
L35	((fetch$5 or prefetch$5) and branch$5 near10 decod$4 and taken and (inhibit$4 or halt$4 or cancel$5 or suspend$3 or suspension$1) near8 (instruction$1 or microinstruction$1 or macroinstruction$1) and identif$7).clm.	3	L35
L34	L33 not l9	3	L34
L33	L32 and l8	356	L33
L32	L31 and l4	426	L32
L31	(inhibit$4 or halt$4 or cancel$5 or suspend$3 or suspension$1) near8 (instruction$1 or microinstruction$1 or macroinstruction$1)	14105	L31
	DB=PGPB,USPT; PLUR=YES; OP=OR		
L30	l10 and l15	12	L30
L29	l10 and l14	68	L29
L28	l10 and l13	7	L28
L27	l10 and l12	77	L27
L26	l10 and l11	228	L26
L25	l9 and l15	16	L25
L24	l9 and l14	83	L24
L23	l9 and l13	12	L23
L22	l9 and l12	100	L22
L21	l9 and l11	292	L21
L20	l7 and l15	18	L20
L19	l7 and l14	95	L19
L18	l7 and l13	15	L18
L17	l7 and l12	113	L17
L16	l7 and l11	340	L16
L15	(711/213)[CCLS]	457	L15
L14	(712/23,41)[CCLS]	841	L14
L13	(712/245-248)[CCLS]	794	L13
L12	(712/23-43, 208-240)![CCLS]	3391	L12
L11	(712/2-300)[CCLS]	12464	L11
	DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		
L10	L9 and branch$3 near8 decod$3	264	L10
L9	L8 and l7	353	L9
L8	(identif$6 or id) near8 (instruction$1 or microinstruction$1 or macroinstruction$1)	36602	L8

L7	L6 and l4	420	L7
L6	L5	13605	L6
L5	(inhibit$4 or halt$4 or cancel$5 or suspend$3 or syspension$1) near8 (instruction$1 or microinstruction$1 or macroinstruction$1)	13605	L5
L4	L3 and l2	1087	L4
L3	(fetch$5 or prefetch$5) and (branch$4) near7 (predict$5 or speculat$5) near25 taken	1747	L3
L2	(concurrent$4 or simultaneous$3 or parallel$7) near8 execut$3	66419	L2
L1	(fetch$5 or prefetch$5) and (branch$4) near7 (predict$5 or speculat$5)	4203	L1

END OF SEARCH HISTORY

Home | Login | Logout | Access Information | Ale

IEEE Xplore RELEASE 2.1

Welcome United States Patent and Trademark Office

Search Results BROWSE SEARCH IEEE XPLORE GUIDE

Results for "(((fetch*, prefetch*) <and> (branch*) <near/10> decod* <and> taken)<in>met..." e-mail

Your search matched **2** of **1392165** documents.

A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History

New Search

Modify Search

(((fetch*, prefetch*) <and> (branch*) <near/10> decod* <and> taken)<in>metadata) Search

Check to search only within this results set

Display Format: Citation Citation & Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

view selected items Select All Deselect All

1. **Control speculation for energy-efficient next-generation superscalar processors**
Aragon, J.L.; Gonzalez, J.; Gonzalez, A.;
Computers, IEEE Transactions on
Volume 55, Issue 3, March 2006 Page(s):281 - 291
Digital Object Identifier 10.1109/TC.2006.32
Summary: Conventional front-end designs attempt to maximize the number of "in-flight" instruction However, branch mispredictions cause the processor to fetch useless instructions that are eventua increasing front-end energy and .....
AbstractPlus | Full Text: PDF(3552 KB) IEEE JNL
Rights and Permissions

2. **Power-aware control speculation through selective throttling**
Aragon, J.L.; Gonzalez, J.; Gonzalez, A.;
High-Performance Computer Architecture, 2003. HPCA-9 2003. Proceedings. The Ninth Internatior
8-12 Feb. 2003 Page(s):103 - 112
Digital Object Identifier 10.1109/HPCA.2003.1183528
Summary: With the constant advances in technology that lead to the increasing of the transistor cc frequency, power dissipation is becoming one of the major issues in high-performance processors. increase their clock frequenc.....
AbstractPlus | Full Text: PDF(428 KB) IEEE CNF
Rights and Permissions

Help Contact Us Privac

Indexed by Inspec

© Copyright 2006 IE